



RANVET PTY LTD
ACN 001 606 033

10 –12 Green Street
East Botany NSW 2019

Telephone: +61.2.9666 1744

Facsimile: +61.2.9666 1755

Emergency Telephone No: A/H +61 (0418) 493 533

**MATERIAL
SAFETY
DATA SHEET**

1 IDENTIFICATION

Trade name: Ranvet's Rutin Mix

Product Size 2kg

UN number: None allocated

Dangerous Goods Class and Subsidiary Risk: Not applicable

Hazchem code: Not applicable

Poisons schedule number: Not applicable

Use: A bioflavonoid, mineral and vitamin feed supplement for horses

PHYSICAL DESCRIPTION & PROPERTIES

Appearance: Whitish granular powder

Boiling/Melting point: Not applicable

Vapour pressure: Not applicable

Specific gravity: Not applicable

Flashpoint: Not applicable

Solubility in Water: Practically soluble

Other Properties: Distinct caramel smell

INGREDIENTS: per kg

Chemical entity	Proportion
Rutin	20g
Calcium Carbonate	202.6 g
Magnesium Carbonate	0.25g
DiCalcium Phosphate	0.25g
Vitamin A	375 x 10 ³ IU

Other non hazardous ingredients

This is a commercial product and the exact ratio of components may vary. Trace quantities of impurities are also likely.

II HEALTH HAZARD INFORMATION

HEALTH EFFECTS

Acute: No specific treatment required.

Swallowed: Mild flatulence

Eye: Local irritant

Skin: Not applicable

Inhaled: No toxic hazard determined

Chronic: No toxic hazard determined

FIRST AID

Swallowed: No specific treatment required.

Eye: Flush copiously with clean water

Skin: Wash hands before eating, drinking or smoking

Inhaled: No specific treatment required

First aid facilities: Access to clean water

ADVISE TO DOCTOR: No specific treatment required.

III PRECAUTIONS FOR USE

Exposure standards:	Not determined
Engineering controls:	Not applicable
Personal protection:	No specific requirement
Flammability:	Not applicable

IV SAFE HANDLING INFORMATION

Storage & transport:	Store in a cool, dry place under 30°C (room temperature). Dangerous goods class – nil
Spills and Disposal:	Collect spilled material and dispose of in an authorised landfill area, where refuse is buried at least 500mm below surface
Fire and explosion hazard:	Nil

CONTACT POINT

Quality Assurance Manager
RANVET PTY LTD

DISCLAIMER: The information provided in this MSDS is based upon sources believed to be accurate. However, the Company assumes no responsibility for the accuracy, completeness or suitability of this information. The product user is responsible for determining the suitability of this information for their particular purpose.